








APPROVED BY THE MONTVILLE INLAND WETLAND COMMISSION	
CHAIRMAN _____	DATE _____
APPROVED BY THE MONTVILLE PLANNING AND ZONING COMMISSION	
CHAIRMAN _____	DATE _____
EXPIRATION DATE _____	
SEC PLAN APPROVAL DATE _____	



THIS DRAWING IS THE PROPERTY OF THE ENGINEER. IT HAS BEEN SPECIFICALLY PREPARED FOR THE OWNER FOR THIS PROJECT AT THIS SITE AND IS NOT TO BE USED FOR ANY OTHER PURPOSE, LOCATION OR OWNER WITHOUT WRITTEN CONSENT OF THE ENGINEER.



25 JOHN STREET BRIDGEPORT, CT. 06604
Office (203) 333-9465
fax (203) 336-1769
e-mail Info@FullerSurveyors

MADISON PLACE
LUXURY TOWNHOUSE DEVELOPMENT
18 POWERHOUSE ROAD
MONTVILLE, CONNECTICUT
PREPARED FOR
JNE HOLDINGS, LLC

Job Number:
FE24-1889

Job Start Date:
3/20/24

Submission	02/11/25
Staff Review	01/15/25

Drawn By: Checked By:
D.R.R. J.E.Q.


Sheet Title:

DETAIL SHEET

Scale:


Sheet Number:

C-6.2




NOTE: TYPE "CL" CATCH BASIN TOP SHOWN.
SEE CATCH BASIN TOP DETAILS (ABOVE)
FOR OTHER CB TOP STYLES.

- 1.) USE FILTER INSERTS WHERE SHOWN ON DESIGN PLANS OR AS REQUIRED BY D.P.W. ENGINEERING.
FILTER USED SHALL BE FROM D.P.W. APPROVED SUPPLIERS LIST:
"ULTRA-URBAN FILTER W/SMART SPONGE FILTER MEDIA"
-ABTECH INDUSTRIES, SCOTSDALE, AZ, 1-800-543-8999
"TRANSPO ENVIROSAFE MODULAR STORMWATER CATCH BASIN FILTER"
-TRANSPO INDUSTRIES, NEW ROCHELLE, NY, 1-914-636-1000
OR OTHER APPROVED FILTER.
- 2.) ALLOW 24" MINIMUM CLEARANCE BETWEEN BOTTOM OF GRATE AND TOP OF PIPE INLET OR OUTLET.
- 3.) INSTALL AND MAINTAIN ACCORDING TO MANUFACTURERS RECOMMENDATIONS.



MASONRY CONCRETE UNIT
OR CLASS "A" CONCRETE



APPROVED BY THE MONTVILLE INLAND WETLAND COMMISSION

CHAIRMAN _____ DATE _____

APPROVED BY THE MONTVILLE PLANNING AND ZONING COMMISSION

CHAIRMAN _____ DATE _____

EXPIRATION DATE _____

SEC PLAN APPROVAL DATE _____